	Application No.	Applicant(s)	
Notice of Allowability	10/699,223	ITO ET AL.	
	Examiner	Art Unit	
	James Golden	2187	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet wi (OR REMAINS) CLOSED in or other appropriate commit IGHTS. This application is s	th the correspondence address this application. If not included unication will be mailed in due co	urse. THIS
This communication is responsive to the after-final amends		· }.	•
2. The allowed claim(s) is/are <u>1-12</u> .			
 3.		or (f).	
2. Certified copies of the priority documents have		on No	
3. Copies of the certified copies of the priority do	• •		n from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requi	rements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			FICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers	son's Patent Drawing Review	v (PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on t he header according to 37 CF	he drawings in the front (not the baFR 1.121(d).	ack) of
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	E Mation of In	formal Datant Application	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		formal Patent Application ummary (PTO-413),	
2. Motice of Dranperson's Faterit Drawing Neview (F10-940)	Paper No.	/Mail Date	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's	Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🔀 Examiner's	Statement of Reasons for Allowa	ance
· .	9.		

DETAILED ACTION

Response to Amendment

The instant application 10/699223 has a total of 12 claims pending. There are 2 independent claims and 9 dependent claims.

Claim Rejections - 35 USC § 103

1. The claim to disqualification of the prior art under 35 USC § 103(c)(1) is accepted, and the rejections are hereby withdrawn.

Allowable Subject Matter

- 2. <u>Claims 1-12</u> are allowed. The following is an examiner's statement of reasons for allowance:
- 3. With respect to claim 1, the claim limitations are deemed allowable over the prior art of record as the prior art neither anticipates nor renders obvious at least the combination with the inclusion in the claims of "said super self-refresh control circuit being contained within said RAM control section" (lines 5-6). Support for this limitation may be found in Fig. 1 of applicant's drawings, where the super self-refresh control circuit 9 is contained within the RAM control logic 209.
- 4. <u>Claims 2-6</u> are allowed by virtue of their dependency on claim 1.
- 5. With respect to claim 7, the claim limitations are deemed allowable over the prior art of record as the prior art neither anticipates nor renders obvious at least the combination with the inclusion in the claims of "said address generating section being

£ .

Application/Control Number: 10/699,223

Art Unit: 2187

Page 3

contained within said BIST controller" (line 9). Support for this limitation may be found in Fig. 12 of applicant's drawings and paragraph 0183 (page 31) of applicant's specification, where "the BIST controller 6" comprises... the address generator 12."

6. Claims 8-12 are allowed by virtue of their dependency on claim 7.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Golden whose telephone number is 571-272-5628. The examiner can normally be reached on Monday-Friday, 8:30 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Sparks can be reached on 571-272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James R. Golden Patent Examiner Art Unit 2187

January 4, 2007

DONALD SPARKS
SUPERVISORY PATENT EXAMINER